•	Application No.	Applicant(s)
Notice of Allowability	09/942,751	MORISAWA, TOSHIKAZU
	Examiner	Art Unit
	Rehana Perveen	2116
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Application filed on 8/31/2001</u> .		
2. The allowed claim(s) is/are <u>1-15</u> .		
3. The drawings filed on 31 August 2001 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)</li></ul>		
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	E Matica of las	Property Detains Application (DTO 450)
Notice of References Cited (P10-692)     Notice of Draftperson's Patent Drawing Review (PT0-948)		ormal Patent Application (PTO-152) mmary (PTO-413),
, , ,	Paper No./N	Mail Date
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8/31/01</li> </ol>	8), 7. 🗌 Examiner's A	Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	<u></u>	Statement of Reasons for Allowance
of Biological Material	9.	
		·

Application/Control Number: 09/942,751

Art Unit: 2116

Page 2

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: the prior art of record, alone or in combination, do not teach system restoration including first resume process executed by a BIOS for restoring an operating environment needed to operate an operating system in response to a wake up event, and a second resume process executed by the operating system for restoring the operation environment of each of a plurality of devices, wherein the first and second resume processes are executed in a parallel manner (independent claims 1, 6, and 11), or wherein the first and second resume processes are alternatively executed (independent claim 13), or wherein the second resume process is executed before the end of the first resume process executed by the BIOS (independent claim 15).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rehana Perveen whose telephone number is 703-305-8476. The examiner can normally be reached on 8:00am - 4:30pm.

Art Unit: 2116

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne H Browne can be reached on 703-308-1159. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Rehana Perveen

Primary Patent Examiner Technology Center 2100